

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
S 60170442

Blatt Sheet
0001

Gültig ab
06.06.2023

Valid from
(day/mo/yr)

Ihr Zeichen Client Reference

Unser Zeichen Our Reference

Längstens gültig bis

Latest expiration date

0010-A.W.-DE23PQ1E 001

05.06.2028

(day/mo/yr)

Genehmigungsinhaber License Holder

Brunner GmbH
Stühle, Tische, Objektmöbel
Im Salmenkopf 10
77866 Rheinau
Deutschland

Fertigungsstätte Manufacturing Plant

Brunner GmbH
Stühle, Tische, Objektmöbel
Im Salmenkopf 10
77866 Rheinau
Deutschland

Prüfzeichen Test Mark



www.tuv.com
ID 1111269851

Geprüft nach Tested acc. to
DIN EN 16139/03.14
DIN 4573/03.21

Zertifiziertes Produkt (Geräteidentifikation) Certified Product (Product Identification)

Lizenzentgelte - Einheit License Fee - Unit

Bank / Bench

Bench system elements Model series "banc" without electri-
fication for the following user weights: 1-seater up to
180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg

7

Bench system elements consisting of a base frame in extruded
aluminum profile. Consisting of two side frames and two
crossbars. Crossbars connected to side frame by screws.
Underframe in three different lengths. The following com-
ponents can be mounted on the underframe: Support plate HPL
coated, seat element fully upholstered, seat elements fully
upholstered (corner version or straight element) in three
backrest heights (400, 700 or 1000 mm). Elements also avai-
lable as cabin: 1-seater cabin with sliding and inwardly
swiveling 2-part writing tray, 2-seater cabin, 3-seater
cabin (front side open or closed).

All tests were carried out in accordance with DIN 4573

Product overview see Appendix
Parent-ID: 0000066402

ANLAGE (Appendix): 1; Seite/page 1-9

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Die Anforderungen nach § 20 des Produktsicherheitsgesetzes
sind erfüllt.

This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Ausstellungsdatum Date of Issue : 06.06.2023 (day/mo/yr)

Zertifizierungsstelle



K.-H. Heider

Übersetzung/Translation

Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001

Ihr Zeichen Client Reference




Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg

Product overview:

		
model no.	BC-100	BC-200
basic model	– frame aluminium extruded angle profile, coated in white RAL 9016 FS matt – consisting of two side panels and two crossbraces (unassembled) – plastic gliders (for carpet floors)	
dimensions		
weight	18,1 kg	24,6 kg
options / accessories	– frame coated in lava RAL 7021 or alu matt RAL 9006 B – profile box with 3x 230V diagonal, 3 m power supply cable (EBC01) – connector „back to back“, set consisting of 2 back connectors – connection „corner installation“, hole on one side in the frame, incl. 1 connecting rail – connection „linear“, hole on one side in the frame, incl. 1 screw and 1 cap nut – connection „linear“, hole on two sides in the frame, incl. 2 screws and 2 cap nuts – felt gliders (for laminate and parquet floors) – gliders with anti-sliding-surface (for smooth floors)	
colours		
coating colours	 white RAL 9016 FS matt	 alu matt RAL 9006 B  lava RAL 7021 FS matt

Zertifizierungsstelle



K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001


Ihr Zeichen Client Reference

Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg




model no.

BC-300

basic model

- frame aluminium extruded angle profile, coated in white RAL 9016 FS matt
- consisting of two side panels and two crossbraces (unassembled)
- plastic gliders (for carpet floors)

dimensions



weight

31,2 kg

options / accessories

- frame coated in lava RAL 7021 or alu matt RAL 9006 B
- profile box with 3x 230V diagonal, 3 m power supply cable (EBC01)
- connector „back to back“, set consisting of 2 back connectors
- connection „corner installation“, hole on one side in the frame, incl. 1 connecting rail
- connection „linear“, hole on one side in the frame, incl. 1 screw and 1 cap nut
- connection „linear“, hole on two sides in the frame, incl. 2 screws and 2 cap nuts
- felt gliders (for laminate and parquet floors)
- gliders with anti-sliding-surface (for smooth floors)

colours

coating colours

white RAL 9016 FS matt

alu matt RAL 9006 B

lava RAL 7021 FS matt

Zertifizierungsstelle

K.-H. Heider

K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001




Ihr Zeichen Client Reference

Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg

		
model no.	BC-T00	BC-H00
basic model	– tablet coated in HPL	– seat element single-coloured, fully upholstered – consisting of foam moulded polyurethane part with a square steel tube inlay – seat upholstery including non-shrink elastic straps for highest seating comfort – various combinations for mounting on the frames
dimensions		
weight	8,7 kg	9,8 kg
upholstery	fabric / leather	according to Brunner standard range (including artificial leather)
colours	HPL The tablet is available in the following decors: U 12231 SD (U231) slate grey, U 12188 SD (U1188) light grey, U 11209 SD (SR209) royal white.	

Zertifizierungsstelle



K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. *Certificate No.*
S 60170442

Blatt *Page*
0001



Ihr Zeichen *Client Reference*

Unser Zeichen *Our Reference*
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum *Date of issue*
06.06.2023

Zertifizierte Produkte / *Certified products:*

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg

		
model no.	BC-H40	BC-H40E
basic model	– seat element single-coloured, fully upholstered – consisting of foam moulded polyurethane part with a square steel tube inlay – seat upholstery including non-shrink elastic straps for highest seating comfort – back height 400 mm – various combinations for mounting on the frames	
dimensions		
weight	15,8 kg	20,5 kg
upholstery	fabric / leather	
	according to Brunner standard range (including artificial leather)	

Zertifizierungsstelle



K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001



Ihr Zeichen Client Reference

Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg

		
model no.	BC-H70	BC-H70E
basic model	– seat element single-coloured, fully upholstered – consisting of foam moulded polyurethane part with a square steel tube inlay – seat upholstery including non-shrink elastic straps for highest seating comfort – back height 700 mm – various combinations for mounting on the frames	
dimensions		
weight	20,6 kg	28,4 kg
upholstery	fabric / leather	
	according to Brunner standard range (including artificial leather)	

Zertifizierungsstelle



K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001



Ihr Zeichen Client Reference

Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg

		
model no.	BC-H100	BC-H100E
basic model	– seat element single-coloured, fully upholstered – consisting of foam moulded polyurethane part with a square steel tube inlay – seat upholstery including non-shrink elastic straps for highest seating comfort – back height 1000 mm – various combinations for mounting on the frames	
dimensions		
weight	23,7 kg	32,0 kg
upholstery	fabric / leather	
	according to Brunner standard range (including artificial leather)	

Zertifizierungsstelle



K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001

Ihr Zeichen Client Reference

Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg




model no.

BC-1100

basic model

- frame aluminium extruded angle profile, coated in white RAL 9016 FS matt
- plastic gliders (for carpet floors)
- seat upholstered, with integrated holder for writing table (in front of it on the left)
- seat consisting of foam moulded polyurethane part with a square steel tube inlay
- with non-shrink elastic straps
- two-part writing table, extendable and swiveling inwards, in solid core, white
- single cabin, front wall open

dimensions



weight

83,0 kg

options / accessories

- frame coated in lava RAL 7021FS matt
- writing table in solid core, black
- profile box with 3x 230V diagonal, 3 m power supply cable (EBC01)
- felt gliders (for laminate and parquet floors)
- gliders with anti-sliding-surface (for smooth floors)

upholstery

fabric / leather

according to Brunner standard range (including artificial leather)

The following fabrics and leather of the Brunner standard range are available: dover, laser, luzern, malaga, monza, palermo, paris, siena, turin, leather sevilla 2, leather torro
The following fabrics of the Brunner Kvadrat collection are available: Inspiration 1 (Field 2, Remix 3), Inspiration 2 (Canvas 2 (Canvas), Divina 3, Divina MD, Divina Melange 3, Hallingdal 65, Steelcut Trio 3 (Steelcut Trio 2), Inspiration 3 (Revive 1), Inspiration 4 (Rime), Inspiration 5 (Fiord)

colours

coating colours

white RAL 9016 FS

lava RAL 7021 FS matt

Zertifizierungsstelle

K.-H. Heider

K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001



Ihr Zeichen Client Reference

Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg

		
model no.	BC-2100	BC-3100
basic model	– frame aluminium extruded angle profile, coated in white RAL 9016 FS matt – plastic gliders (for carpet floors) – seat upholstered – consisting of foam moulded polyurethane part with a square steel tube inlay – with non-shrink elastic straps	
	– double cabin, front wall open	– triple cabin, front wall open
dimensions		
weight	184,5 kg	234,4 kg
options / accessories	– frame coated in lava RAL 7021 FS matt or alu matt RAL 9006 B – felt gliders (for laminate and parquet floors) – gliders with anti-sliding-surface (for smooth floors) – media integration banc media: lounge element for assembly rear panel (selectable in white or black) with hidden installation and inspection flap, standard configuration: 2 x 230V, 1 x HDMI, 1 x USB data type A (black), matching USB and HDMI cables, banc with media integration will be delivered completely wired, screen and fixture are not included, recommended screen size: 27"-32"	
upholstery		
fabric / leather	according to Brunner standard range (including artificial leather)	
colours		
coating colours	 white RAL 9016 FS	 lava RAL 7021 FS matt
		 alu matt RAL 9006B

Zertifizierungsstelle


K.-H. Heider

Übersetzung/Translation



Anlage / Appendix 1

Zertifikat Nr. Certificate No.
S 60170442

Blatt Page
0001

Ihr Zeichen Client Reference

Unser Zeichen Our Reference
0010-A.W.-DE23PQ1E 001

Ausstellungsdatum Date of issue
06.06.2023

Zertifizierte Produkte / Certified products:

Bench system elements Model series "banc" without electrification for the following user weights:
1-seater up to 180 kg / 2-seater up to 250 kg / 3-seater up to 350 kg




model no.

BC-3200

basic model

- frame aluminium extruded angle profile, coated in white RAL 9016 FS matt
- plastic gliders (for carpet floors)
- seat upholstered
- consisting of foam moulded polyurethane part with a square steel tube inlay
- with non-shrink elastic straps
- triple cabin, front wall closed

dimensions



weight

249,3 kg

options / accessories

- frame coated in lava RAL 7021 FS matt or alu matt RAL 9006 B
- felt gliders (for laminate and parquet floors)
- gliders with anti-sliding-surface (for smooth floors)
- media integration banc media: lounge element for assembly rear panel (selectable in white or black) with hidden installation and inspection flap, standard configuration: 2 x 230V, 1 x HDMI, 1 x USB data type A (black), matching USB and HDMI cables, banc with media integration will be delivered completely wired, screen and fixture are not included, recommended screen size: 27"-32"

upholstery

fabric / leather

according to Brunner standard range (including artificial leather)

colours

coating colours

white RAL 9016 FS

lava RAL 7021 FS matt

alu matt RAL 9006B

Zertifizierungsstelle

K.-H. Heider
K.-H. Heider

Übersetzung/Translation

