Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

Genehmigungsinhaber *License Holder:*
Brunner GmbH
Stühle, Tische, Objektmöbel
Im Salmenkopf 10
77866 Rheinau
Deutschland

Fertigungsstätte *Manufacturing Site:*
Brunner GmbH
Stühle, Tische, Objektmöbel
Im Salmenkopf 10
77866 Rheinau
Deutschland

Prüfzeichen *Test Mark:*

TÜVRheinland CERTIFIED
geprüfte Sicherheit
www.tuv.com
ID 1111289092

Geprüft nach *Tested according to:*
DIN EN 15372/03.24
AfPS GS 2019:01 PAK

Geräteidentifikation
Product Identification

Produkt:
Product:
Folding Table

Modell:
Type:
Modelle sind auf nächste(r) Seite(n) gelistet
Type designation(s) are listed on the next page(s)

Technische Daten:
Technical Data:

Klapptisch / Folding table: 2237, 2247, 2248
Modellreihe Vierbeinerklapptische "trust" /
Model series Four-leg folding table "trust"

Durchgeführung aller Prüfungen nach DIN EN 15372 in Prüfstufe 3 /
Performance of all tests according to DIN EN 15372 in test level 3

Ersetzt Zertifikat / Replaces certificate: S 60142783 0001

Certipedia Parent-ID: 0000066403

Gültig bis:
Date of expiry:
2029-10-28

Gültig ab:
Valid from:
2024-10-29

Ausstellungsdatum:
Date of issue:
2024-10-29

Zertifizierungsstelle:
Certification body:

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

Dipl.-Ing. B. Hendel

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 des Produktsicherheitsgesetzes.
This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

Produkt *Product:* Folding Table

Modell *Type:*

Bezeichnung *Designation:*
Klapptisch / Folding table:
Modellreihe Vierbeinerklapptische "trust" /
Model series Four-leg folding table "trust"

Produktübersicht / Product overview:
Modell / Model 2237 mit Quadatrohrbeinen / with square tubular legs,
Modell / Model 2247 mit Rundstahlrohrbeinen auf Gehrung /
with mitred round tubular steel legs,
Modell / Model 2248 mit Rundstahlrohrbeinen gebogen /
with welded tubular steel legs

Vierbeinerklapptische mit U-förmige Beinbügel aus Quadratrohr (30 x 30 mm) oder aus Rundstahlrohr (Ø 35 mm) auf Gehrung verschweißt oder gebogen.
Tische mit folgenden Tischplatten: Spantischlerplatte 30 mm, Leichtbauplatte 30 mm, Slimlight Platte 16 mm oder mit Furnier mit verschiedenen Kantenausführungen. Bodengleiter aus Kunststoff in Rohrenden gesteckt. Drehlager aus Kunststoff mit Stapelpuffern.
Betätigung über einen Entriegelungshebel, welcher an einer Querstange zur parallelen Betätigung befestigt ist. Betätigungshebel löst zwei verschweißte Metallhaken aus. Die Metallhaken greifen in ein Flacheisen mit Öffnung ein.

Four-leg folding tables with U-shaped leg frame made of square tube (30 x 30 mm) or round steel tube (Ø 35 mm) welded or with mitred corner connectors.
Tables with the following table tops: chipboard 30 mm, lightweight board 30 mm, slimlight table top 16 mm or with veneer with various edge designs. Plastic floor glides inserted into tube ends.
Plastic pivot bearing with supports to stack the tables.
Actuation via a unlocking lever, which is attached to a crossbar for parallel actuation. Actuating lever releases two welded metal hooks. The metal hooks interlock with a flat bar with opening.

Allgemeine Abmessungen der Tischplatte /
General dimensions of the table top:
Tischlänge / Table length: 120 – 180 cm
Tischbreite / Table width: 70 und 80 cm

Details siehe Anlage (6 Seiten) / Details see attachment (6 pages)

® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Anlage 1 zu / *Appendix 1 to*

Zertifikatsnummer *Certificate No.*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

Produkt: Folding table
Product: Model series Four-leg folding table "trust"

Product overview:

model no.	**2237**
frame	– frame square section steel tube
table height	72,5 cm
table top thickness	16 mm
table top material	slimlight table top* incl. reinforcement bar * slimlight table top means a reduction in weight of approx. 10 kg/qm compared with a blockboard top with a thickness of 30 mm, compared with a lightweight top with a thickness of 30 mm the weight reduction is approx. 6 kg/qm
table top and edge	HPL / Nano Tec ABS, BK, BKM* beech veneer BK, BKM* * BKM edge (multiplex edge) cannot be colour lacquered
dimensions	120 x 70 cm / 120 x 80 cm 130 x 70 cm / 130 x 80 cm 140 x 70 cm / 140 x 80 cm 150 x 70 cm / 150 x 80 cm 160 x 70 cm / 160 x 80 cm
standard finish	– edge natural beech, satin lacquered – frame chromed – adjustable gliders plastic (120)
options and accessories	– edge beech stained according to beech standard range, satin lacquered – connecting fixture one side (for interm. tops) at short side (EHV1) – connecting fixture two sides (for interm. tops) at both short sides (EHV1) – modesty panel fixtures (modesty panel 2205N or 2205NL – see chapter accessories. The panel is fixed between the frame and is therefore 16 cm shorter than the table top dimension.) – frame coated in selected colours – linking device for tables trust (TV2), front-mounted – chair hanging device for tables (SAH01), for 4 chairs fox 1024, coated in RAL 9006 white-aluminium (available for table dimensions 140 x 70 cm and 140 x 80 cm), stacking plate for non-upholstered chair fox 1024 neccessary – adjustable gliders felt (121)
colours	Coating hues frame black – similar to RAL 9005 FS matt aluminium silver – similar to RAL 9006 F – stain colours according to Brunner standard range

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and applic ation requires prior approval.

Ausstellungsdatum: 29.10.2024
Date of issue:

Zertifizierungsstelle:
Certification body:

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

i.V. Dipl. Ing. B. Hendel

TÜVRheinland®
Precisely Right.

Anlage 1 zu / *Appendix 1 to*

Zertifikatsnummer *Certificate No.*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

model no.	**2237**	
frame	– frame square section steel tube	
table height	74 cm	
table top thickness	30 mm	
table top material	blockboard top	lightweight top* * The lightweight table top means a reduction in weight of approx. 4 kg/qm compared with blockboard.
table top and edge	HPL / Nano Tec ABS, BK, MK	beech veneer BK, MK
dimensions	80 x 80 cm - foldable (frame staggered)	
	120 x 70 cm 130 x 70 cm 140 x 70 cm 150 x 70 cm 160 x 70 cm 170 x 70 cm 180 x 70 cm	120 x 80 cm 130 x 80 cm 140 x 80 cm 150 x 80 cm 160 x 80 cm 170 x 80 cm 180 x 80 cm
	140 x 70 cm 150 x 70 cm 160 x 70 cm 170 x 70 cm 180 x 70 cm	140 x 80 cm 150 x 80 cm 160 x 80 cm 170 x 80 cm 180 x 80 cm
standard finish	– edge natural beech, satin lacquered – frame chromed – adjustable gliders plastic (120)	
options and accessories	– edge beech stained according to beech standard range, satin lacquered – connecting fixture one side (for interm. tops) at short side (EHV1) – connecting fixture two sides (for interm. tops) at both short sides (EHV1) – modesty panel fixtures (modesty panel 2205N or 2205NL – see chapter accessories. The panel is fixed between the frame and is therefore 16 cm shorter than the table top dimension.) – frame coated in selected colours – linking device for tables trust (TV2), front-mounted – chair hanging device for tables (SAH01), for 4 chairs fox 1024, coated in RAL 9006 white-aluminium (available for table dimensions 140 x 70 cm and 140 x 80 cm), stacking plate for non-upholstered chair fox 1024 neccessary – adjustable gliders felt (121)	
colours	Coating hues frame black similar to RAL 9005 FS matt aluminium silver similar to RAL 9006 F – stain colours according to Brunner standard range	

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and applic ation requires prior approval.

Ausstellungsdatum: 29.10.2024
Date of issue:

Zertifizierungsstelle:
Certification body:

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

i.V. Dipl. Ing. B. Hendel

TÜVRheinland®
Precisely Right.

Anlage 1 zu / *Appendix 1 to*

Zertifikatsnummer *Certificate No.*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

model no.	**2247**
frame	– frame round steel tube, mitred
table height	72,5 cm
table top thickness	16 mm
table top material	slimlight table top* incl. reinforcement bar * slimlight table top means a reduction in weight of approx. 10 kg/qm compared with a blockboard top with a thickness of 30 mm, compared with a lightweight top with a thickness of 30 mm the weight reduction is approx. 6 kg/qm
table top and edge	HPL / Nano Tec ABS, BK, BKM* beech veneer BK, BKM* * BKM edge (multiplex edge) cannot be colour lacquered
dimensions	120 x 70 cm / 120 x 80 cm 130 x 70 cm / 130 x 80 cm 140 x 70 cm / 140 x 80 cm 150 x 70 cm / 150 x 80 cm 160 x 70 cm / 160 x 80 cm
standard finish	– edge natural beech, satin lacquered – frame chromed – adjustable gliders plastic (120)
options and accessories	– edge beech stained according to beech standard range, satin lacquered – connecting fixture one side (for interm. tops) at short side (EHV1) – connecting fixture two sides (for interm. tops) at both short sides (EHV1) – modesty panel fixtures (modesty panel 2205N or 2205NL – see chapter accessories. The panel is fixed between the frame and is therefore 16 cm shorter than the table top dimension.) – frame coated in selected colours – linking device for tables trust (TV2), front-mounted – chair hanging device for tables (SAH01), for 4 chairs fox 1024, coated in RAL 9006 white-aluminium (available for table dimensions 140 x 70 cm and 140 x 80 cm), stacking plate for non-upholstered chair fox 1024 neccessary – adjustable gliders felt (121)
colours	Coating hues frame black – similar to RAL 9005 FS matt aluminium silver – similar to RAL 9006 F – stain colours according to Brunner standard range

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

Ausstellungsdatum: 29.10.2024
Date of issue:

Zertifizierungsstelle:
Certification body:

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

i.V. Dipl. Ing. B. Hendel

Anlage 1 zu / *Appendix 1 to*

Zertifikatsnummer *Certificate No.*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

model no.	**2247**			
frame	– frame round steel tube, mitred			
table height	74 cm			
table top thickness	30 mm			
table top material	blockboard top		lightweight top* * The lightweight table top means a reduction in weight of approx. 4 kg/qm compared with blockboard.	
table top and edge	HPL / Nano Tec ABS, BK, MK		beech veneer BK, MK	
dimensions	80 x 80 cm - foldable (frame staggered)			
	120 x 70 cm 130 x 70 cm 140 x 70 cm 150 x 70 cm 160 x 70 cm 170 x 70 cm 180 x 70 cm	120 x 80 cm 130 x 80 cm 140 x 80 cm 150 x 80 cm 160 x 80 cm 170 x 80 cm 180 x 80 cm	140 x 70 cm 150 x 70 cm 160 x 70 cm 170 x 70 cm 180 x 70 cm	140 x 80 cm 150 x 80 cm 160 x 80 cm 170 x 80 cm 180 x 80 cm
standard finish	– edge natural beech, satin lacquered – frame chromed – adjustable gliders plastic (120)			
options and accessories	– edge beech stained according to beech standard range, satin lacquered – connecting fixture one side (for interm. tops) at short side (EHV1) – connecting fixture two sides (for interm. tops) at both short sides (EHV1) – modesty panel fixtures (modesty panel 2205N or 2205NL – see chapter accessories. The panel is fixed between the frame and is therefore 16 cm shorter than the table top dimension.) – frame coated in selected colours – linking device for tables trust (TV2), front-mounted – chair hanging device for tables (SAH01), for 4 chairs fox 1024, coated in RAL 9006 white-aluminium (available for table dimensions 140 x 70 cm and 140 x 80 cm), stacking plate for non-upholstered chair fox 1024 neccessary – adjustable gliders felt (121)			
colours	Coating hues frame black similar to RAL 9005 FS matt aluminium silver similar to RAL 9006 F – stain colours according to Brunner standard range			

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

Ausstellungsdatum: 29.10.2024
Date of issue:

Zertifizierungsstelle:
Certification body:

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

i.V. Dipl. Ing. B. Hendel

Anlage 1 zu / *Appendix 1 to*

Zertifikatsnummer *Certificate No.*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

model no.	**2248**
frame	– frame round steel tube, rounded
table height	72,5 cm
table top thickness	16 mm
table top material	slimlight table top* incl. reinforcement bar * slimlight table top means a reduction in weight of approx. 10 kg/qm compared with a blockboard top with a thickness of 30 mm, compared with a lightweight top with a thickness of 30 mm the weight reduction is approx. 6 kg/qm
table top and edge	HPL / Nano Tec ABS, BK, BKM* beech veneer BK, BKM* * BKM edge (multiplex edge) cannot be colour lacquered
dimensions	120 x 70 cm / 120 x 80 cm 130 x 70 cm / 130 x 80 cm 140 x 70 cm / 140 x 80 cm 150 x 70 cm / 150 x 80 cm 160 x 70 cm / 160 x 80 cm
standard finish	– edge natural beech, satin lacquered – frame chromed – adjustable gliders plastic (120)
options and accessories	– edge beech stained according to beech standard range, satin lacquered – connecting fixture one side (for interm. tops) at short side (EHV1) – connecting fixture two sides (for interm. tops) at both short sides (EHV1) – modesty panel fixtures (modesty panel 2205N or 2205NL – see chapter accessories. The panel is fixed between the frame and is therefore 16 cm shorter than the table top dimension.) – frame coated in selected colours – linking device for tables trust (TV2), front-mounted – chair hanging device for tables (SAH01), for 4 chairs fox 1024, coated in RAL 9006 white-aluminium (available for table dimensions 140 x 70 cm and 140 x 80 cm), stacking plate for non-upholstered chair fox 1024 neccessary – adjustable gliders felt (121)
colours	Coating hues frame black – similar to RAL 9005 FS matt aluminium silver – similar to RAL 9006 F – stain colours according to Brunner standard range

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and applic ation requires prior approval.

Ausstellungsdatum: 29.10.2024
Date of issue:

Zertifizierungsstelle:
Certification body:

i.V. Dipl. Ing. B. Hendel

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

Anlage 1 zu / *Appendix 1 to*

Zertifikatsnummer *Certificate No.*
S 60177940 0001

Berichtsnummer *Report No.:*
DE249Z8X 001

model no.	**2248**			
frame	– frame round steel tube, rounded			
table height	74 cm			
table top thickness	30 mm			
table top material	blockboard top		lightweight top* * The lightweight table top means a reduction in weight of approx. 4 kg/qm compared with blockboard.	
table top and edge	HPL / Nano Tec ABS, BK, MK		beech veneer BK, MK	
dimensions	80 x 80 cm - foldable (frame staggered)			
	120 x 70 cm 130 x 70 cm 140 x 70 cm 150 x 70 cm 160 x 70 cm 170 x 70 cm 180 x 70 cm	120 x 80 cm 130 x 80 cm 140 x 80 cm 150 x 80 cm 160 x 80 cm 170 x 80 cm 180 x 80 cm	140 x 70 cm 150 x 70 cm 160 x 70 cm 170 x 70 cm 180 x 70 cm	140 x 80 cm 150 x 80 cm 160 x 80 cm 170 x 80 cm 180 x 80 cm
standard finish	– edge natural beech, satin lacquered – frame chromed – adjustable gliders plastic (120)			
options and accessories	– edge beech stained according to beech standard range, satin lacquered – connecting fixture one side (for interm. tops) at short side (EHV1) – connecting fixture two sides (for interm. tops) at both short sides (EHV1) – modesty panel fixtures (modesty panel 2205N or 2205NL – see chapter accessories. The panel is fixed between the frame and is therefore 16 cm shorter than the table top dimension.) – frame coated in selected colours – linking device for tables trust (TV2), front-mounted – chair hanging device for tables (SAH01), for 4 chairs fox 1024, coated in RAL 9006 white-aluminium (available for table dimensions 140 x 70 cm and 140 x 80 cm), stacking plate for non-upholstered chair fox 1024 neccessary – adjustable gliders felt (121)			
colours	Coating hues frame black similar to RAL 9005 FS matt aluminium silver similar to RAL 9006 F – stain colours according to Brunner standard range			

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

Ausstellungsdatum: 29.10.2024
Date of issue:

Zertifizierungsstelle:
Certification body:

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

i.V. Dipl. Ing. B. Hendel

TÜVRheinland®
Precisely Right.